

Workstationコンソールでの展開ページ

概要


展開ページでは、コンソールユーザーが組織全体のユーザーマシンにワークステーションをインストールおよび展開することができます。

ステップ1：検証

検証チェックリストを使用すると、組織内にワークステーションを導入できます。

あなたのITチームを含む可能性の高い関係者とチェックリストを確認し、条件が確認されたらチェックボックスをオンにします。


1. チェックボックスにカーソルを合わせると、会社から誰が各条件を確認したかを確認できます。
2. 条件にカーソルを合わせたり、下矢印をクリックして条件の説明を展開します。
3. 条件下でメモを残すためにコメントを追加し、「コメントを保存」をクリックします。



ステップ2：ダウンロード

この画面で、組織内の各オペレーティングシステム（WindowsおよびMacOS）のインストーラをダウンロードします。

Windows



Deploy Workstation
Follow the steps to deploy Workstation in your organization

STEP 1 Validate

STEP 2 Download

STEP 3 Configure

Download Workstation
Download the installers for the operating systems used within your organization

Windows MacOS Mobile

Windows installer
Windows 7, 8, 10 (64-bit), 11 (32-bit is not supported)

1 System Installer [Download]

- Downloads a machine wide installer (MWI) in an MSI file
- Installs Workstation for any user on sign in
- This is the preferred installer for mass deployment

2 User Installer [Download]

- Downloads an EXE file that installs Workstation for the user that is currently logged into the computer
- Does not require user to sign out and in again after installation
- Not viable for scenarios where different users share the same machine, like kiosks
- Good for piloting Workstation or testing it on a single machine for a specific user

3 Machine Installer [Download]

- Downloads an MSI file that installs Workstation for any user on a machine
- A centralized installer placing the application in /program files / folder
- Auto-updates are disabled by default
- Useful for virtual machines or where several users share the same profile

Pilot Workstation
If you are a Windows user and want to pilot Workstation before deployment, download the User Installer

Windowsインストーラには3つのタイプがあります。お客様のニーズに最適なインストーラをダウンロードしてください：

1. システムインストーラー

- 大規模展開のための優先インストーラー
- MSIファイルでマシン全体のインストーラーをダウンロードします。
- サインイン時に任意のユーザーのためにワークステーションをインストールします。

2. ユーザー・インストーラー

- コンピューターに現在ログインしているユーザーのためにワークステーションをインストールするEXEファイルをダウンロードします。
- インストール後、ユーザーにサインアウトおよび再度サインインを要求しません。
- キオスクのような、異なるユーザーが同じマシンを使用するシナリオでは実行できません。
- 特定のユーザーのためにワークステーションをパイロットしたり、単一のマシンでそれをテストしたりするのに良い

3. マシンインストーラー

- そのマシン上の任意のユーザーのためにワークステーションをインストールするMSIファイルをダウンロード
- アプリケーションを/プログラムファイル/フォルダ/内に配置する集中型インストーラ

- 自動更新は、デフォルトで無効にされています。
- 仮想デスクトップや、複数のユーザーが同じプロファイルを共有する場合に便利


MacOS

- インストーラー：
 - マシン上のすべてのユーザーのためにワークステーションをインストールするPKGファイルをダウンロードします。
 - MacOS Intelプロセッサのみをサポートします。
 - 大規模展開とパイロットテストの両方で使用されます。

モバイル

モバイルアプリは、App StoreまたはGoogle Playからダウンロードできます。

ステップ3：設定



The screenshot shows the 'Deploy Workstation' page in the Walkme interface. The page is titled 'Deploy Workstation' and includes the instruction 'Follow the steps to deploy Workstation in your organization'. On the left, there is a sidebar with navigation icons and a list of steps: STEP 1 Validate, STEP 2 Download, and STEP 3 Configure (which is highlighted). The main content area is titled 'Configure and Deploy' and lists four steps, each with a numbered blue circle:

- 1** Download your settings JSON file. A 'Download' button is visible.
- 2** Move the settings file on all machines to: For Windows: c:\walkme, For MacOS: /Users/Shared/walkme. A 'See guide' link is provided.
- 3** Go to the [Admin Center](#) to enable your IDP for Workstation.
- 4** Invite IT. Send an email invite to your IT team, which will give them access to this page so they can help with deployment. A 'Send Invite' button is visible.

On the right side of the interface, there is an illustration of a person in a blue uniform standing at a desk with a laptop.

組織でワークステーションを展開するには：

1. JSONファイルをダウンロード
2. 組織ポリシーに準拠している場所を選択し、設定ファイルをそこに配置します：

OS	インストーラ	ファイルパスの設定	説明	例
Windows	.msi .exe	<installationDir>\..\%localapp%	インストールパスの上の1つのフォルダ	C:\プログラムファイル\WalkMe\
Windows	.msi .exe	%ProgramW6432%\WalkMe	WalkMeフォルダー内のプログラムファイル	C:\プログラムファイル\WalkMe\
Windows	.msi .exe	<システムドライブ>\..\WalkMe	システムドライブのWalkMeフォルダ	C:\WalkMe
MacOS	.pkg	/Users/Shared/walkme		

3. [管理センターでIDPを有効にします](#)

4. 「招待状を送信」をクリックしてITチームに招待メールを送信します。これにより展開に役立つようにページへのアクセスが与えられます。

Workstationのインストールおよび設定ファイル

[技術的な概要については、Workstationのインストールと設定ファイルの記事を参照してください](#)