

Workstation – Drupal Integration

Brief Overview

Drupal is a free and open-source web content management system written in PHP and distributed under the GNU General Public License.

Capabilities

Search for Drupal articles directly from Workstation

â	Enterprise Search
	Q. How to create an integration X 🖨 🕰 🛁 🗸
\$	2 results for "How to create an integration"
Ø	How to create an integration
џ ô	New Integration - How To
88	0

Security Overview

Read more about Workstation's integration security and Workstation's Enterprise Search.



Configuration in Drupal for the integration

- 1. Go to your Drupal account.
- 2. Make sure that you are working from a user with admin permissions.

3 Back to site 🗮 Manage 👤 admin Admit	n Toolbar quick search	-
Structure 🔍 Appearance	👬 Extend 🔧 Configuration 🧏	People Reports
Home > Administration > People	_	
Roles		
List Permissions Roles	Role settings	
+ Add role	-	
Name		Operations
+‡+ Anonymous user		Edit V
+ $^{+}_{\pm}$ Authenticated user		Edit 🗸
+±+ Admin		Edit 🗸
_		

3. In the Extend tab, install the Key Authentication module-

ĥ	Content	Structure 🔍 A	ppearance 🛉	Extend	Configuration	People People	Reports	
Home	> Administra	ition						
Ext	tend							
	ist U	pdate Un	install					
_								
•/	dd new mod	lute						
Fi	ter							
ſ	key							
~ 1	Web service	s						
\checkmark	Key Aut	hentication			 Provides a 	n authenticat	ion provider based on per-user API keys.	

4. Go back to People, Click on the Permissions tab, enable the following Key Authentication checkbox and the View published content checkbox on authenticated user, and click Save-



Back to site	Manage 👤	admin Admir	n Toolbar quick	search		
Content	Structure	Appearance	Ê Extend	K Configuration	Le Peo	
	inistration > Pe	ople				
List	Permissions	Roles	Role se	ettings		
Hide descripti	ions					
Permission	1					
Admin Tool	lbar Search					
Admin Tool	Admin Teolbar quick search					
Admin Tool	Admin Toolbar quick search Appearance 🏦 Extend 🌂 C	Configuration JL People dI Re	ports		Anonymous Au user Au	thentie
Admin Tool	Admin Toolbar quick search Appearance Protocol de Control de Contr	Configuration Jg People JT Re	ports	i	Anonymous Au user Au	thentio
Admin Tool	Ibar Search	Configuration JE People all Re	ports handled by combining filters	s into text formats.	Anonymous Au user	thentiquser
Admin Tool Manage and Admin Content A Structure Permission Filter Administer text formats and fi Warning: Give to trusted roles Key Authentication Use key authentication	Ibar Search Admin Toolbar quick search Appearance 🏦 Extend 🔍 of liters is only: this permission has securit	Configuration J People all Re ty implications. Define how text is I	ports handled by combining filter	s into text formats.	Anonymous Au user	thenti user
Admin Tool Manage and Annage Content of Structure Permission Filter Administer text formats and fi Warning: Give to trusted roles Key Authentication Use key authentication Node	Ibar Search	Configuration Jg People all Re	ports	s into text formats.	Anonymous Au	thentid user
Admin Tool Manage and Admin Manage and Admin Permission Key Authentication Use key authentication Node Permission	Ibar Search Admin Toothar quick search Appearance Action Content Iters is only; this permission has securit	Configuration J _I People dII Rep ty <i>Implications</i> . Define how text is h	ports handled by combining filters	s into text formats.	Anonymous Au user	thentiuser
Admin Tool Admin	Ibar Search	Configuration In Propie In Re By Implications. Define how text is b plications. View, edit and delete all co	ports handled by combining filters	s into text formats. Anonymou user on restrictions.	Anonymous Au user Au s Authenticated user	thentii user
Admin Tool Admin Tool Admin Tool Administer text formats and fi Warning: Give to trusted roles Key Authentication Use key authentication Node Permission Marning: Give to trusted roles or Delete al revisions To delete a revision you also need	Ibar Search	Configuration Jr People I Rep by Implications. Define how text is 1 polications. View, edit and delete all co titem.	ports handled by combining filters	s into text formats. Anonymou user un restrictions.	Anonymous Au user Au s Authenticated user	thentiduser
Admin Tool	Ibar Search	Configuration 1 People 1 Rep ty implications. Define how text is I alications. View, edit and delete all co titem.	ports handled by combining filters	s into text formats. Anonymou user on restrictions.	Anonymous Au user Au s Authenticated user user	atthenticuser
Admin Tool Admin Tool Admin Tool Admin Tool Conter A Structure Permission Filter Administer text formats and fi Warning: Give to trusted roles Key Authentication Use key authentication Node Permission Marning: Give to trusted roles on Dole all revisions To revert a revision, you also nee View all revisions To revert a revision, you also nee View all revisions To revert a revision, you also nee View all revisions To revert a revision, you also nee View all revisions To revert a revision, you also nee View all revisions	Ibar Search Admin Toolbar quick search Appearance Appearance Control C	Configuration I People II Re ty Implications. Define how text is the alications. View, edit and delete all co if tem.	ports handled by combining filters whent regardless of permissio	s into text formats.	Anonymous Au user	atthentic user

5. Go to Configuration -> Web services, make sure that these settings are configured that way (these are the default settings). Parameter name must be api-key



Content Co	Extend Configuration Itherports Itherports <th>Back to site 🗧 Manage 👤 adr</th> <th>Min Admin Toolbar quick sea</th> <th>rch</th> <th></th>	Back to site 🗧 Manage 👤 adr	Min Admin Toolbar quick sea	rch	
Home Administrative Key authors Automatically ger This applies only to Key length 32 Existing keys will not be Parameter name api-key The name of the parameter Detection methods Header	e selected detection methods below.	🖹 Content 📫 Structure	Appearance 🚡 Extend	Configuration	Reports
Key author Automatically ger This applies only to Key length 32 Existing keys will not be Parameter name api-key The name of the parameter Detection methods Header	thentication.	Home > Administration > Config	uration > Web services		
 Automatically ger This applies only to Key length 32 Existing keys will not be Parameter name api-key The name of the parameter Detection methods V Header 	thentication.	Key authenticati	on		
 Automatically ger This applies only to Key length • 32 Existing keys will not be Parameter name • api-key The name of the parameter Detection methods • Y Header 	uthentication.	-			
 Automatically ger This applies only to Key length 32 Existing keys will not be Parameter name api-key The name of the parameter Detection methods Header 	thentication.				
Key length • 32 Existing keys will not be Parameter name • api-key The name of the parameter Detection methods • V Header	e selected detection methods below.	Automatically generate a key whe This applies only to new users that h.	in users are created		
Key length • 32 Existing keys will not be Parameter name • api-key The name of the parameter the parameter name of the parameter nameter nameter nameter nameter nameter nameter nameter nameter namet	e selected detection methods below.	This applies only to new dates that h	ave access to use key authentication		
32 Existing keys will not be Parameter name • api-key The name of the parameter Detection methods • V Header	e selected detection methods below.	Key length *			
Existing keys will not be Parameter name • api-key The name of the parameter Detection methods • ✓ Header	e selected detection methods below.	32			
Parameter name * api-key The name of the parameter Detection methods * Header	e selected detection methods below.	Existing keys will not be affected.			
Parameter name • api-key The name of the parameter Detection methods • Header	e selected detection methods below.	Execute the first of the second			
api-key The name of the parame Detection methods	e selected detection methods below.	Parameter name *			
The name of the parame Detection methods • V Header	e selected detection methods below.	api-key			
Detection methods •		The name of the parameter used to send	the API key via one of the selected d	etection methods below.	
Detection methods*					
Header		Detection methods*			
		Header			
Query		Query			
Select one or more meth		Select one or more methods of detecting	the API key.		

6. Go to the People tab, go to your admin user, and click on the Key authentication tab and copy the api-key

	Home > user								
	Key authentication								
	View	Edit	Key authentication						
	Key								
	7c05b4db8ea8	ca3d060fa1	ld98ea44d67						
	Authontic	ation	ntione						
	Authentic	ation	ptions						
	Header								
-	Include the folio	wing heade	er in vour API requests.						
			n ni jour ru rrequests.	-					
	api-key: 7c0								
	Query								
	Include the following query in the URL of your API requests.								
	?api-key=7c05b4d								
		_	-						
	Generate ne	w key	Delete current key						

Save configuration

7. Go to Extend, and search for the module JSON:API Cross Bundles-



turste E Konge 1 adeite Adeite Tor	dear spirit search		
🖬 Cantant 🔥 Structure 🔍 Appearance 🖷	Extent 4, Configuration	At hears all hears	
Leel Operate Orienatal			
I Maning measure			
	inter des Personal		
There was a proposed processing and party of	and an fundam		
Add new module			
Titler			
bund 1			
· · · · · · · · · · · · · · · · · · ·			
 Other 			
JSON API Cress Bundles	v Add cross-b	sundle resource collections for D	rupal's JSON API module

- 8. Mark the module and click install. If you do not see this module, add it according to Drupal's instructions- <u>https://www.drupal.org/project/jsonapi_cross_bundles/git-instructions</u>
- 9. Go to Console and populate the following-
 - $\circ\,$ API Key
 - Drupal URL. For example- <u>https://saphora.com</u>

Activity Board ation Dashboard Monitor User Engagement	Invite Co-Workers
Workstation	n Analytics
Dashboard Active Users Content Content	Monthly Active Users How many people are using Workstation every month 4
Communication Cent	1 2
Deploy 12 912 12/12 15/12 18/12 21/12 24/12 27/12 30/12 2/01 5/ Branding ited 	Dec Jan Installed Active Users
Settings	
Content Items users enganged with the most in the last 30 days	Top Searches Ca Which topics users have searched for in the last 30 days
Multi Language	

10. The integration will appear in the Integrations tab of the app's Settings



•••	
۵	Settings
۹	Integrations Preferences Help About
♦	Workstation Apps Connect more apps to enrich your Workstation experience.
g	Q. Search
¢	Box Connect ~
¢	
	Confluence Server Connected ~
0	🛃 DocuSign Correct ~
0	G Gibhub Correct ~
ma	Google Calendar - Convected

Segmentation

Integrations can be segmented to a sub-set of users and audiences, rather than being enabled for all end-users. This feature streamlines the integration process and helps to ensure that users are only using the integrations that are relevant to their work.

To segment a Workstation integration:

1. Navigate to the **<u>Workstation Integrations page</u>** in the console

All

- 2. Click the **All button** on the integration you would like to segment
- 3. Click Select specific recipients in the Manage Access popup
- 4. Select the audiences or individual users from the dropdowns to handpick who can use the integration
- 5. Click Apply



< Manage access Select who can use this integration		×
All recipients Select specific recipients		
Audiences		
Select audiences		~
Individual recipients		
Select user		~
	Cancel	Apply